L Number		Search Text	DB	Time stamp
-	5548		USPAT;	2004/03/10 19:10
		network\$3	US-PGPUB;	
			EPO; JPO;	
			IBM_TDB	0004/00/00 ==
-	1726	((load with balanc\$5) and server\$1 and	USPAT;	2004/03/10 15:28
		network\$3) and @ad<19990930	US-PGPUB;	
			EPO; JPO;	
		((/33	IBM_TDB	0004/00/00 10 00
-	41	(((load with balanc\$5) and server\$1 and	USPAT;	2004/03/08 18:08
		network\$3) and @ad<19990930) and (through	US-PGPUB;	
		adj put)	EPO; JPO;	
	548	(((load with balanc\$5) and server\$1 and	IBM_TDB USPAT;	2004/03/09 16:24
_	240	network\$3) and @ad<19990930) and ((through	US-PGPUB;	2004/03/03 10.24
		adj put) or throughput)	EPO; JPO;	
		adj pac, or enroughpac,	IBM TDB	
_	358	((((load with balanc\$5) and server\$1 and	USPAT;	2004/03/08 18:09
	330	network\$3) and @ad<19990930) and ((through	US-PGPUB;	2001,03,00 10.05
		adj put) or throughput)) and (packet)	EPO; JPO;	
		and pack of chicongripts, and (paches)	IBM TDB	
_	187	(((((load with balanc\$5) and server\$1 and	USPAT;	2004/03/08 18:10
		network\$3) and @ad<19990930) and ((through	US-PGPUB;	
		adj put) or throughput)) and (packet)) and	EPO; JPO;	
		session	IBM TDB	
_	165	(((((load with balanc\$5) and server\$1 and	USPAT;	2004/03/08 18:11
		network\$3) and @ad<19990930) and ((through	US-PGPUB;	
		adj put) or throughput)) and (packet)) and	EPO; JPO;	
		session) and (respons\$2)	IBM TDB	
-	165		USPAT;	2004/03/08 18:11
		network\$3) and @ad<19990930) and ((through	US-PGPUB;	
		adj put) or throughput)) and (packet)) and	EPO; JPO;	
		session) and (respons\$2)) and time	IBM_TDB	
-	14	''''	USPAT;	2004/03/08 18:39
		network\$3) and @ad<19990930) and ((through	US-PGPUB;	
		adj put) or throughput)) and (packet)) and	EPO; JPO;	
		session) and (respons\$2)) and time) and	IBM_TDB	
		(load with balanc\$5).ab.		
-	1011		USPAT;	2004/03/08 18:42
		TAKAHASHI-EIJI TAKAHASHI-EIKI	US-PGPUB;	
		TAKAHASHI-EIZI).in.	EPO; JPO;	
	1125	(YOKOYAMA-KEN YOKOYAMA-KENA-K	IBM_TDB USPAT;	2004/03/08 18:43
_	1125	YOKOYAMA-KENA-KIMI YOKOYAMA-KENICHI	US-PGPUB;	2004/03/08 18:43
		YOKOYAMA-KENJI YOKOYAMA-KENJIRO	EPO; JPO;	
		YOKOYAMA-KENZO YOKOYAMA-KENZOU	IBM_TDB	1
		YOKOYAMA-KEN-ICHI).in.		
_	141	(TAMURA-NAO TAMURA-NAOKI TAMURA-NAOMI	USPAT;	2004/03/08 18:47
	_	TAMURA-NAOHIRO).in.	US-PGPUB;	
		·	EPO; JPO;	
			IBM TDB	
-	104	(((TAKAHASHI-EIICHI TAKAHASHI-EIICHIRO	USPAT;	2004/03/08 18:48
		TAKAHASHI-EIJI TAKAHASHI-EIKI	US-PGPUB;	
	i	TAKAHASHI-EIZI).in.) ((YOKOYAMA-KEN	EPO; JPO;	
		YOKOYAMA-KENA-K YOKOYAMA-KENA-KIMI	IBM_TDB	
		YOKOYAMA-KENICHI YOKOYAMA-KENJI	-	
		YOKOYAMA-KENJIRO YOKOYAMA-KENZO		
		YOKOYAMA-KENZOU YOKOYAMA-KEN-ICHI).in.)		
		((TAMURA-NAO TAMURA-NAOKI TAMURA-NAOMI		
1		TAMURA-NAOHIRO).in.)) and fujitsu.as.		
-	2	((((TAKAHASHI-EIICHI TAKAHASHI-EIICHIRO	USPAT;	2004/03/08 18:50
1		TAKAHASHI-EIJI TAKAHASHI-EIKI	US-PGPUB;	
		TAKAHASHI-EIZI).in.) ((YOKOYAMA-KEN	EPO; JPO;	
		YOKOYAMA-KENA-K YOKOYAMA-KENA-KIMI	IBM_TDB	
		YOKOYAMA-KENICHI YOKOYAMA-KENJI		
l		YOKOYAMA-KENJIRO YOKOYAMA-KENZO		
		YOKOYAMA-KENZOU YOKOYAMA-KEN-ICHI).in.)		
ŀ		((TAMURA-NAO TAMURA-NAOKI TAMURA-NAOMI		
		TAMURA-NAOHIRO).in.)) and fujitsu.as.) and		
		(((load with balanc\$5) and server\$1 and		
		network\$3) and @ad<19990930)	1	I

-	1730	(((load with balanc\$5) and server\$1 and network\$3) and @ad<19990930)	USPAT; US-PGPUB; EPO; JPO;	2004/03/09 16:24
_	227	1 , , , ,	IBM_TDB USPAT;	2004/03/09 16:25
		network\$3) and @ad<19990930)) and packet and captur\$4	US-PGPUB; EPO; JPO; IBM TDB	
-	209	(((((load with balanc\$5) and server\$1 and network\$3) and @ad<19990930)) and packet and captur\$4) and log\$4	USPAT; US-PGPUB; EPO; JPO; IBM TDB	2004/03/09 16:27
-	206	((((((load with balanc\$5) and server\$1 and network\$3) and @ad<19990930)) and packet and captur\$4) and log\$4) and service	USPAT; US-PGPUB; EPO; JPO; IBM TDB	2004/03/09 16:38
-	122	network\$3) and @ad<19990930)) and packet and captur\$4) and log\$4) and (service with	USPAT; US-PGPUB; EPO; JPO;	2004/03/09 16:28
-	85	network\$3) and @ad<19990930)) and packet and captur\$4) and log\$4) and (service with	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/03/09 16:28
-	82	log\$4)) and (server with log\$4) ((((((((load with balanc\$5) and server\$1 and network\$3) and @ad<19990930)) and packet and captur\$4) and log\$4) and (service with log\$4)) and (server with log\$4)) and	IBM_TDB USPAT; US-PGPUB; EPO; JPO; IBM TDB	2004/03/09 16:29
-	o	(simulat\$5 or model\$5 or emulat\$5)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/09 16:39
-	59	<pre>(simulat\$5 or model\$5 or emulat\$5)) and (service adj log) and (server adj log) (((((((((load with balanc\$5) and server\$1 and network\$3) and @ad<19990930)) and packet and captur\$4) and log\$4) and (service with log\$4)) and (server with log\$4)) and</pre>	USPAT; US-PGPUB; EPO; JPO; IBM TDB	2004/03/09 16:39
-	4	(simulat\$5 or model\$5 or emulat\$5)) and (service with log) and (server with log) (((((((((load with balanc\$5) and server\$1 and network\$3) and @ad<19990930)) and packet and captur\$4) and log\$4) and (service with log\$4)) and (server with log\$4)) and	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/09 16:39
-	5559	(simulat\$5 or model\$5 or emulat\$5)) and (service near3 log) and (server near3 log) (load with balanc\$5) and server\$1 and network\$3	USPAT; US-PGPUB; EPO; JPO; IBM TDB	2004/03/10 15:48
-	4995	((load with balanc\$5) and server\$1 and network\$3) and service	USPAT; US-PGPUB; EPO; JPO;	2004/03/10 15:39
-	6	<pre>(((load with balanc\$5) and server\$1 and network\$3) and service) and ((mean or median) same (session with (length or time or span or duration)))</pre>	IBM_TDB USPAT; US-PGPUB; EPO; JPO; IBM TDB	2004/03/10 15:30
-	2		USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/10 15:39
-	17345		USPAT; US-PGPUB; EPO; JPO; IBM TDB	2004/03/10 15:38
-	14237	((simulat\$7 or emulat\$5 or model\$5) and (load) and server\$1 and network\$3) and service	USPAT; US-PGPUB; EPO; JPO; IBM TDB	2004/03/10 15:30

-	1	((((simulat\$7 or emulat\$5 or model\$5) and (load) and server\$1 and network\$3) and	USPAT; US-PGPUB;	2004/03/10 15:31
		service) and ((mean or median) same (session with (length or time or span or duration)))) and @ad<19990930	EPO; JPO; IBM_TDB	
-	22	(((simulat\$7 or emulat\$5 or model\$5) and (load) and server\$1 and network\$3) and	USPAT; US-PGPUB;	2004/03/10 15:47
	2814	service) and ((mean or median) same (session with (length or time or span or duration))) ((simulat\$7 or emulat\$5 or model\$5) same	EPO; JPO; IBM_TDB	2004/02/10 16 02
	2014	((Simulat;) of emulat; of model; s) same (load)) and server\$1 and network\$3	USPAT; US-PGPUB; EPO; JPO; IBM TDB	2004/03/10 16:03
-	2262	(((simulat\$7 or emulat\$5 or model\$5) same (load)) and server\$1 and network\$3) and service	USPAT; US-PGPUB; EPO; JPO;	2004/03/10 15:39
-	877	((((simulat\$7 or emulat\$5 or model\$5) same (load)) and server\$1 and network\$3) and service) and @ad<19990930	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/03/10 15:39
-	0	(load)) and server\$1 and network\$3) and service) and @ad<19990930) and ((mean or	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/03/10 15:48
_	385	<pre>median) same (session with (length or time or span or duration))) (((((simulat\$7 or emulat\$5 or model\$5) same</pre>	IBM_TDB USPAT;	2004/03/10 16:01
	303	(load)) and server\$1 and network\$3) and service) and @ad<19990930) and (load with (balanc\$5 or optimiz\$5 or allocat\$5 or distribut\$5))	US-PGPUB; EPO; JPO; IBM_TDB	2004/03/10 16:01
-	192	<pre>((((((simulat\$7 or emulat\$5 or model\$5) same (load)) and server\$1 and network\$3) and service) and @ad<19990930) and (load with (balanc\$5 or optimiz\$5 or allocat\$5 or distribut\$5))) and ((identif\$& or recogni\$5 or determin\$5) with service)</pre>	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/10 16:02
-	130	<pre>(((((((simulat\$7 or emulat\$5 or model\$5) same (load)) and server\$1 and network\$3) and service) and @ad<19990930) and (load with (balanc\$5 or optimiz\$5 or allocat\$5 or distribut\$5))) and ((identif\$& or recogni\$5 or determin\$5) with service)) and ((simulat\$7 or emulat\$5 or model\$5) same</pre>	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/10 16:04
-	107	(service)) (((((((simulat\$7 or emulat\$5 or model\$5)) same (load)) and server\$1 and network\$3) and service) and @ad<19990930) and (load with (balanc\$5 or optimiz\$5 or allocat\$5 or distribut\$5))) and ((identif\$& or recogni\$5 or determin\$5) with service)) and ((simulat\$7 or emulat\$5 or model\$5) same (service))) and ((simulat\$7 or emulat\$5 or model\$5) with (service))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/10 16:06
-	89	<pre>((((((((simulat\$7 or emulat\$5 or model\$5) same (load)) and server\$1 and network\$3) and service) and @ad<19990930) and (load with (balanc\$5 or optimiz\$5 or allocat\$5 or distribut\$5))) and ((identif\$& or recogni\$5 or determin\$5) with service)) and ((simulat\$7 or emulat\$5 or model\$5) same (service))) and ((simulat\$7 or emulat\$5 or model\$5) with (service))) and (packet)</pre>	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/10 16:07

same (load) and server\$1 and network\$3) and service) and @adc19990930] and (load with (balanc\$5 or optimiz\$5 or allocat\$5 or distribut\$5)) and ((identif\$6 or recogni\$5 or model\$5) with (service)) and ([simulat\$7 or emulat\$5 or model\$5) same (service)) and ([simulat\$7 or emulat\$5 or model\$5] with (service)) and (sprice) SPOUR; BPOUR;					
model\$5) with (service)) and (packet adj (size or count))	-	36	same (load)) and server\$1 and network\$3) and service) and @ad<19990930) and (load with (balanc\$5 or optimiz\$5 or allocat\$5 or distribut\$5))) and ((identif\$& or recogni\$5 or determin\$5) with service)) and ((simulat\$7 or emulat\$5 or model\$5) same	US-PGPUB; EPO; JPO;	2004/03/10 19:10
- 0 347111.an. US-PGPUB; EPO, JPO; TBM TDB USPAT; USPAGPUB; EPO, JPO; TBM TDB USPAT; USPAT; USPAT; USPAGPUB; EPO, JPO; TBM TDB USPAT; USPAGPUB; EPO, JPO; TBM TDB USPAT; USPAT; USPAGPUB; EPO, JPO; TBM TDB USPAT; USPAGPU			model\$5) with (service))) and (packet adj		
US-PGPUB; SPAT; US-PGPUB; EPO; JPO; IBM_TDB USPAT;	-	0	09347111.an.	US-PGPUB; EPO; JPO;	2004/03/10 16:10
same (load)) and server\$1 and network\$3 and service) and service) and service) and service) and service) and (load with (balanc\$5 or optimiz\$5 or allocat\$5 or distribut\$5])) and (load with service)) and (simulat\$7 or emulat\$5 or model\$5) same (service)) and (simulat\$7 or emulat\$5 or model\$5) with (service)) and (simulat\$7 or emulat\$5 or model\$5) with (service)) and (spacket adj size) and (packet adj count))	-	0	347111.an.	USPAT; US-PGPUB; EPO; JPO;	2004/03/10 16:10
SHARON-AYAL-I	-	0	same (load)) and server\$1 and network\$3) and service) and @ad<19990930) and (load with (balanc\$5 or optimiz\$5 or allocat\$5 or distribut\$5))) and ((identif\$& or recogni\$5 or determin\$5) with service)) and ((simulat\$7 or emulat\$5 or model\$5) same (service))) and ((simulat\$7 or emulat\$5 or model\$5) with (service))) and ((packet adj	US-PGPUB; EPO; JPO;	2004/03/10 16:12
WS-PGPUB; EPO; JPO; IBM TDB USPAT; US-PGPUB; EPO; JPO; IBM TDB USPAT USPAT; US-PGPUB; EPO; JPO; IBM TDB USPAT; US-PGPUB; EPO; J	-	1340	(load same balanc\$5) and p.in.	US-PGPUB; EPO; JPO;	2004/03/10 19:51
Continue	-	8	SHARON-AYAL-I	US-PGPUB; EPO; JPO;	2004/03/10 19:13
balanc\$5)	-	4	"Abu El Ata"	US-PGPUB; EPO; JPO;	2004/03/10 19:19
- 0 ("l3and@ad<1996").PN. ((load same balanc\$5) and p.in.) and @ad<1996 - 740 (load same balanc\$5) and p.in.) and @ad<19961230 - 217 ((load same balanc\$5) and p.in.) and @ad<19961230) and service\$2 - 42285 load same balanc\$5 - 0 service adj boker 0 service adj boker USPAT 2004/03/10 19:2 USPAT 2004/03/10 19:4 USPAT 2004/03/10 19:4 USPAT; USP	-	6		US-PGPUB; EPO; JPO;	2004/03/10 19:21
- 0 ((load same balanc\$5) and p.in.) and	-			USPAT	2004/03/10 19:22
- 740 ((load same balanc\$5) and p.in.) and (wad<19961230) (((load same balanc\$5) and p.in.) and (wad<19961230) (((load same balanc\$5) and p.in.) and (wad<19961230) and service\$2 - 42285 load same balanc\$5 USPAT; US-PGPUB; EPO; JPO; IBM_TDB USPAT; US-PGPUB; EPO; JPO; IBM_TDB	-				2004/03/10 19:22
- 217 (((load same balanc\$5) and p.in.) and				USPAT	2004/03/10 19:22
- 217 (((load same balanc\$5) and p.in.) and	-	740		USPAT	2004/03/10 19:49
- 42285 load same balanc\$5 USPAT; US-PGPUB; EPO; JPO; IBM_TDB USPAT; US-PGPUB; EPO; JPO; IBM_TDB EPO; JPO; IBM_TDB	-	217	(((load same balanc\$5) and p.in.) and	USPAT	2004/03/10 19:23
- 0 service adj boker USPĀT; US-PGPUB; EPO; JPO; IBM_TDB	-	42285		US-PGPUB; EPO; JPO;	2004/03/10 19:52
	-	0	service adj boker	USPAT; US-PGPUB; EPO; JPO;	2004/03/11 13:49
US-PGPUB; EPO; JPO; IBM TDB	-	186	service adj broker	USPAT; US-PGPUB; EPO; JPO;	2004/03/11 14:43
- 0 (service adj broker) and (fair with queu\$3) USPAT; US-PGPUB; EPO; JPO; IBM_TDB	-			USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/11 13:49
- 0 (service adj broker) and (fair with queu\$5) USPAT; US-PGPUB; EPO; JPO;	-	0	(service adj broker) and (fair with queu\$5)	USPAT; US-PGPUB;	2004/03/11 13:49

-	2	(service adj broker) and (shar\$3 with queu\$5)	USPAT; US-PGPUB;	2004/03/11 13:50
			EPO; JPO; IBM_TDB	
-	11	(service adj broker) and (beta or gamma)	USPAT; US-PGPUB;	2004/03/11 13:51
	1	(garwige adi broker) and (beta and come)	EPO; JPO; IBM_TDB	2004/02/11 12 51
_	1	(service adj broker) and (beta and gamma)	USPAT; US-PGPUB; EPO; JPO;	2004/03/11 13:51
_	9	(service adj broker) and fair	IBM_TDB USPAT;	2004/03/11 14:21
:		_	US-PGPUB; EPO; JPO;	
-	59	server adj processing adj time	IBM_TDB USPAT;	2004/03/11 14:43
			US-PGPUB; EPO; JPO;	
-	8	(service adj broker) and (process\$3 adj	IBM_TDB USPAT; US-PGPUB;	2004/03/11 17:39
			EPO; JPO; IBM TDB	
-	1	5341477.pn. and "70"	USPAT; US-PGPUB;	2004/03/11 17:40
_	195	(session with service) with (per or ratio)	EPO; JPO; IBM_TDB	2004/02/12 15 54
	193	(session with service) with (per of fatio)	USPAT; US-PGPUB; EPO; JPO;	2004/03/12 15:54
-	561	(session with (frequenc\$3 or interval)) and	IBM_TDB USPAT;	2004/03/12 15:55
		(session with (length or duration))	US-PGPUB; EPO; JPO;	
-	9	((session with service) with (per or ratio)) and ((session with (frequenc\$3 or interval))	IBM_TDB USPAT; US-PGPUB;	2004/03/12 15:56
		and (session with (length or duration))	EPO; JPO; IBM TDB	
-	1) (((session with service) with (per or	USPAT;	2004/03/12 15:58
		ratio)) and ((session with (frequenc\$3 or interval)) and	US-PGPUB; EPO; JPO;	
_	768	<pre>(session with (length or duration)))) and @ad<19961230 (number or quantit\$3) same (transmission or</pre>	IBM_TDB USPAT;	2004/03/12 15:58
	, 55	exchange) same (client server) same (session)	US-PGPUB; EPO; JPO;	2004/03/12 15:58
-	97	((number or quantit\$3) same (transmission or	IBM_TDB USPAT;	2004/03/12 16:01
		exchange) same (client server) same (session)) and @ad<19961230	US-PGPUB; EPO; JPO;	
-	26	((packet) same size same (client server)) and (packet same count same (client server)	IBM_TDB USPAT; US-PGPUB;	2004/03/12 16:00
		same (transmission exchange))	EPO; JPO; IBM_TDB	
-	2	<pre>(((packet) same size same (client server)) and (packet same count same (client server)</pre>	USPAT; US-PGPUB;	2004/03/12 16:01
		same (transmission exchange))) and @ad<19961230	EPO; JPO; IBM_TDB	